

1	一般健康診断
---	--------

1 概要

1] 目的

労働者の健康状況の把握と必要な者に対する措置、作業関連疾患の予防と保健指導

2] 健診内容

労働安全衛生法及び労働安全衛生規則（第43条、44条及び45条）に基づき、1年以内ごとに1回、定期的に実施が義務づけされている検査項目を基本としている。

2 実施状況

表1 検査項目別判定内訳（判定実施件数で集計）

				受診者数		やせ (%)		普通 (%)		肥満 (%)		
B M I	男			42,795	2,064	(4.8)	25,750	(60.2)	14,981	(35.0)		
		女		27,345	3,651	(13.4)	17,611	(64.4)	6,083	(22.2)		
				受診者数		非該当 (%)		基準該当 (%)				
腹 囲	男			37,597	20,708	(55.1)	16,889	(44.9)				
		女		24,736	21,326	(86.2)	3,410	(13.8)				
				受診者数		異常認めず (%)		要経過観察 (%)		要精密検査 (%)		
診 察	男			41,729	40,956	(98.1)	249	(0.6)	235	(0.6)	289	(0.7)
		女		26,832	26,317	(98.1)	172	(0.6)	204	(0.8)	139	(0.5)
聴 力	男			41,611	37,862	(91.0)	1,860	(4.5)	1,889	(4.5)	-	-
		女		26,776	25,629	(95.7)	695	(2.6)	452	(1.7)	-	-
血 圧	男			43,020	30,941	(71.9)	4,516	(10.5)	1,458	(3.4)	6,105	(14.2)
		女		28,119	22,800	(81.1)	2,060	(7.3)	665	(2.4)	2,594	(9.2)
貧 血	男			37,470*	34,354	(91.7)	1,948	(5.2)	922	(2.5)	243	(0.6)
		女		26,115*	22,019	(84.3)	2,168	(8.3)	924	(3.5)	1,003	(3.8)
肝 機 能	男			36,826	24,886	(67.6)	6,050	(16.4)	5,397	(14.7)	493	(1.3)
		女		25,858	23,081	(89.3)	1,603	(6.2)	960	(3.7)	214	(0.8)
脂 質	男			37,354	20,606	(55.2)	8,782	(23.5)	4,605	(12.3)	3,361	(9.0)
		女		26,367	16,394	(62.2)	5,062	(19.2)	2,511	(9.5)	2,400	(9.1)
糖 尿 病	男			43,548	35,666	(81.9)	4,371	(10.0)	1,239	(2.8)	2,272	(5.2)
		女		28,431	24,328	(85.6)	3,010	(10.6)	383	(1.3)	710	(2.5)
尿 蛋 白	男			42,929	39,633	(92.3)	2,445	(5.7)	851	(2.0)	-	-
		女		27,809	26,338	(94.7)	1,115	(4.0)	356	(1.3)	-	-
心 電 図	男			34,136	28,049	(82.2)	5,218	(15.3)	869	(2.5)	-	-
		女		24,315	20,300	(83.5)	3,608	(14.8)	407	(1.7)	-	-
腎 機 能	男			33,576	30,440	(90.7)	2,633	(7.8)	266	(0.8)	237	(0.7)
		女		23,105	20,869	(90.3)	2,029	(8.8)	104	(0.5)	103	(0.4)
総合判定	男			43,899	11,460	(26.1)	16,423	(37.4)	14,495	(33.0)	1,521	(3.5)
		女		28,804	9,032	(31.4)	11,912	(41.4)	6,679	(23.2)	1,181	(4.1)
		計		72,703	20,492	(28.2)	28,335	(39.0)	21,174	(29.1)	2,702	(3.7)

※胸部X線検査の集計は「結核検診」、喀痰検査の集計は「肺がん検診」に掲載

*受診者数に判定不能を含む

【年次推移】

	令和元年度	令和2年度	令和3年度	令和4年度	令和5年度
受診者数	68,559	73,563	72,698	72,751	72,703

表2 性・年齢階級別判定内訳（判定実施件数で集計）

	総合判定					BMI				腹囲			診 察		
	受診者数	異常認めず	要観察	要精検	要継続治療	受診者数	やせ	普通	肥満	受診者数	非該当	基準該当	受診者数	異常認めず	
男	19歳以下	1,023	624	241	149	9	956	136	629	191	143	120	23	943	933
	20～24歳	4,461	2,395	1,287	754	25	4,298	491	2,785	1,022	2,069	1,661	408	4,005	3,968
	25～29歳	4,824	2,057	1,683	1,040	44	4,726	380	3,018	1,328	4,152	2,965	1,187	4,628	4,592
	30～34歳	4,709	1,744	1,746	1,154	65	4,625	206	2,828	1,591	4,113	2,458	1,655	4,549	4,506
	35～39歳	4,692	1,364	1,790	1,453	85	4,622	172	2,742	1,708	4,396	2,497	1,899	4,522	4,480
	40～44歳	4,513	1,107	1,705	1,556	145	4,448	121	2,641	1,686	4,300	2,287	2,013	4,357	4,312
	45～49歳	4,792	831	1,922	1,806	233	4,672	132	2,632	1,908	4,531	2,248	2,283	4,605	4,522
	50～54歳	4,945	699	1,974	1,968	304	4,829	110	2,667	2,052	4,606	2,128	2,478	4,737	4,633
	55～59歳	4,063	378	1,684	1,719	282	3,976	125	2,254	1,597	3,845	1,788	2,057	3,896	3,796
	60歳以上	5,877	261	2,391	2,896	329	5,643	191	3,554	1,898	5,442	2,556	2,886	5,487	5,212
計	43,899	11,460	16,423	14,495	1,521	42,795	2,064	25,750	14,981	37,597	20,708	16,889	41,729	40,956	
(%)		(26.1)	(37.4)	(33.0)	(3.5)		(4.8)	(60.2)	(35.0)		(55.1)	(44.9)		(98.1)	
女	19歳以下	667	428	141	92	6	636	101	446	89	138	135	3	538	530
	20～24歳	2,907	1,551	935	384	37	2,778	495	1,878	405	1,879	1,794	85	2,486	2,452
	25～29歳	3,371	1,790	1,187	345	49	3,208	581	2,173	454	2,866	2,706	160	3,281	3,243
	30～34歳	2,683	1,322	957	353	51	2,523	377	1,674	472	2,272	2,057	215	2,614	2,586
	35～39歳	2,865	1,160	1,134	487	84	2,727	344	1,752	631	2,515	2,199	316	2,754	2,723
	40～44歳	2,854	917	1,207	613	117	2,738	315	1,762	661	2,681	2,314	367	2,683	2,643
	45～49歳	3,234	734	1,486	831	183	3,113	323	1,933	857	3,062	2,578	484	3,057	2,995
	50～54歳	3,253	537	1,512	1,029	175	3,151	324	1,969	858	3,069	2,535	534	3,096	3,044
	55～59歳	2,756	324	1,333	919	180	2,658	334	1,668	656	2,584	2,119	465	2,602	2,540
	60歳以上	4,214	269	2,020	1,626	299	3,813	457	2,356	1,000	3,670	2,889	781	3,721	3,561
計	28,804	9,032	11,912	6,679	1,181	27,345	3,651	17,611	6,083	24,736	21,326	3,410	26,832	26,317	
(%)		(31.4)	(41.4)	(23.2)	(4.1)		(13.4)	(64.4)	(22.2)		(86.2)	(13.8)		(98.1)	
総 数	72,703	20,492	28,335	21,174	2,702	70,140	5,715	43,361	21,064	62,333	42,034	20,299	68,561	67,273	
(%)		(28.2)	(39.0)	(29.1)	(3.7)		(8.1)	(61.8)	(30.0)		(67.4)	(32.6)		(98.1)	

	肝 機 能					脂 質					糖 尿 病					
	受診者数	異常認めず	要 観 察	要 精 検	要継続治療	受診者数	異常認めず	要 観 察	要 精 検	要継続治療	受診者数	異常認めず	要 観 察	要 精 検	要継続治療	
男	19歳以下	393	292	45	55	1	553	513	27	11	2	1,021	1,010	7	3	1
	20～24歳	2,854	2,243	245	363	3	3,339	2,720	442	156	21	4,441	4,334	69	23	15
	25～29歳	4,177	3,068	477	611	21	4,165	2,954	805	345	61	4,800	4,591	153	36	20
	30～34歳	4,033	2,762	595	654	22	4,015	2,517	995	418	85	4,680	4,348	231	49	52
	35～39歳	4,107	2,727	635	712	33	4,101	2,318	1,034	588	161	4,661	4,137	327	97	100
	40～44歳	3,932	2,461	761	669	41	3,918	2,013	1,028	646	231	4,482	3,880	374	98	130
	45～49歳	4,168	2,586	818	705	59	4,156	1,904	1,138	698	416	4,743	3,874	521	128	220
	50～54歳	4,241	2,658	901	596	86	4,200	1,799	1,158	675	568	4,898	3,496	770	242	390
	55～59歳	3,497	2,300	655	463	79	3,485	1,451	879	516	639	4,020	2,625	777	191	427
	60歳以上	5,424	3,789	918	569	148	5,422	2,417	1,276	552	1,177	5,802	3,371	1,142	372	917
計	36,826	24,886	6,050	5,397	493	37,354	20,606	8,782	4,605	3,361	43,548	35,666	4,371	1,239	2,272	
(%)		(67.6)	(16.4)	(14.7)	(1.3)		(55.2)	(23.5)	(12.3)	(9.0)		(81.9)	(10.0)	(2.8)	(5.2)	
女	19歳以下	180	171	3	5	1	332	289	32	10	1	663	653	7	2	1
	20～24歳	2,096	2,003	52	38	3	2,396	2,024	262	98	12	2,895	2,804	73	13	5
	25～29歳	3,014	2,856	86	61	11	3,028	2,491	415	104	18	3,365	3,244	94	13	14
	30～34歳	2,442	2,282	74	77	9	2,448	1,922	371	126	29	2,671	2,541	105	16	9
	35～39歳	2,648	2,444	122	74	8	2,654	2,003	437	160	54	2,844	2,649	139	26	30
	40～44歳	2,695	2,488	106	84	17	2,703	1,882	536	198	87	2,810	2,554	211	18	27
	45～49歳	3,074	2,711	223	114	26	3,078	1,861	708	297	212	3,192	2,756	315	39	82
	50～54歳	3,061	2,587	270	175	29	3,065	1,518	773	452	322	3,204	2,526	520	65	93
	55～59歳	2,622	2,168	281	137	36	2,629	1,008	637	463	521	2,708	1,999	530	53	126
	60歳以上	4,026	3,371	386	195	74	4,034	1,396	891	603	1,144	4,079	2,602	1,016	138	323
計	25,858	23,081	1,603	960	214	26,367	16,394	5,062	2,511	2,400	28,431	24,328	3,010	383	710	
(%)		(89.3)	(6.2)	(3.7)	(0.8)		(62.2)	(19.2)	(9.5)	(9.1)		(85.6)	(10.6)	(1.3)	(2.5)	
総 数	62,684	47,967	7,653	6,357	707	63,721	37,000	13,844	7,116	5,761	71,979	59,994	7,381	1,622	2,982	
(%)		(76.5)	(12.2)	(10.1)	(1.1)		(58.1)	(21.7)	(11.2)	(9.0)		(83.3)	(10.3)	(2.3)	(4.1)	

*受診者数に判定不能を含む

診 察			聴 力				血 圧					貧 血				
要観察	要精検	要継続治療	受診者数	異常認めず	要観察	要精検	受診者数	異常認めず	要観察	要精検	要継続治療	受診者数	異常認めず	要観察	要精検	要継続治療
3	5	2	950	939	4	7	959	918	38	3	0	553	534	6	9	4
16	17	4	4,246	4,197	26	23	4,311	4,077	203	24	7	3,340	3,225	43	66	6
9	14	13	4,579	4,525	28	26	4,759	4,427	274	35	23	4,182	4,033	70	71	8
16	11	16	4,436	4,359	46	31	4,653	4,180	331	70	72	4,038	3,878	100	48	12
14	13	15	4,511	4,395	72	44	4,643	3,856	476	130	181	4,107	3,887	143	70	7
15	15	15	4,366	4,158	101	107	4,466	3,432	519	163	352	3,931	3,693	157	70	11
30	21	32	4,594	4,281	154	159	4,699	3,115	642	244	698	4,163	3,842	213	86	22
37	26	39	4,658	4,153	241	264	4,851	2,777	715	304	1,055	4,240	3,823	279	103	35
29	33	38	3,871	3,299	269	303	3,992	1,916	620	212	1,244	3,494*	3,068	297	95	32
80	80	115	5,400	3,556	919	925	5,687	2,243	698	273	2,473	5,422*	4,371	640	304	106
249	235	289	41,611	37,862	1,860	1,889	43,020	30,941	4,516	1,458	6,105	37,470*	34,354	1,948	922	243
(0.6)	(0.6)	(0.7)		(91.0)	(4.5)	(4.5)		(71.9)	(10.5)	(3.4)	(14.2)		(91.7)	(5.2)	(2.5)	(0.6)
3	5	0	634	627	4	3	639	615	11	13	0	332	310	13	2	7
11	15	8	2,803	2,762	29	12	2,848	2,714	84	47	3	2,399	2,195	146	27	31
14	16	8	3,307	3,263	33	11	3,356	3,244	96	10	6	3,031*	2,680	245	57	48
7	11	10	2,619	2,576	32	11	2,667	2,507	120	27	13	2,455	2,102	219	62	72
9	11	11	2,765	2,724	30	11	2,826	2,606	146	33	41	2,664	2,193	251	123	97
11	18	11	2,657	2,600	34	23	2,780	2,424	192	53	111	2,639	2,063	275	152	149
19	26	17	3,046	2,979	42	25	3,162	2,546	298	87	231	3,056	2,217	357	221	261
18	19	15	3,037	2,914	78	45	3,183	2,306	348	126	403	3,039	2,469	223	145	202
19	28	15	2,540	2,385	84	71	2,676	1,791	308	89	488	2,609	2,345	142	62	60
61	55	44	3,368	2,799	329	240	3,982	2,047	457	180	1,298	3,891	3,445	297	73	76
172	204	139	26,776	25,629	695	452	28,119	22,800	2,060	665	2,594	26,115*	22,019	2,168	924	1,003
(0.6)	(0.8)	(0.5)		(95.7)	(2.6)	(1.7)		(81.1)	(7.3)	(2.4)	(9.2)		(84.3)	(8.3)	(3.5)	(3.8)
421	439	428	68,387	63,491	2,555	2,341	71,139	53,741	6,576	2,123	8,699	63,585*	56,373	4,116	1,846	1,246
(0.6)	(0.6)	(0.6)		(92.8)	(3.7)	(3.4)		(75.5)	(9.2)	(3.0)	(12.2)		(88.7)	(6.5)	(2.9)	(2.0)

尿 蛋 白				心 電 図				腎機能				
受診者数	異常認めず	要 観 察	要 精 検	受診者数	異常認めず	要 観 察	要 精 検	受診者数	異常認めず	要 観 察	要 精 検	要継続治療
1,001	869	85	47	571	509	58	4	121	120	1	0	0
4,416	3,914	365	137	2,008	1,768	224	16	1,707	1,670	36	0	1
4,768	4,460	262	46	3,696	3,229	432	35	3,564	3,440	104	10	10
4,642	4,373	231	38	3,568	3,144	392	32	3,501	3,372	113	8	8
4,623	4,330	238	55	3,881	3,402	430	49	3,897	3,715	158	10	14
4,455	4,184	217	54	3,701	3,189	460	52	3,827	3,637	163	13	14
4,677	4,340	245	92	3,966	3,324	557	85	4,070	3,748	256	30	36
4,815	4,464	255	96	4,096	3,340	648	108	4,133	3,737	336	30	30
3,965	3,658	197	110	3,394	2,624	659	111	3,424	2,898	454	38	34
5,567	5,041	350	176	5,255	3,520	1,358	377	5,332	4,103	1,012	127	90
42,929	39,633	2,445	851	34,136	28,049	5,218	869	33,576	30,440	2,633	266	237
	(92.3)	(5.7)	(2.0)		(82.2)	(15.3)	(2.5)		(90.7)	(7.8)	(0.8)	(0.7)
652	559	59	34	491	457	30	4	71	70	1	0	0
2,884	2,617	193	74	1,673	1,515	147	11	1,436	1,372	60	0	4
3,348	3,144	172	32	2,767	2,502	244	21	2,517	2,377	131	0	9
2,659	2,524	116	19	2,255	2,010	236	9	2,049	1,950	91	3	5
2,814	2,674	114	26	2,530	2,189	323	18	2,525	2,392	123	2	8
2,765	2,619	116	30	2,528	2,160	337	31	2,485	2,320	157	1	7
3,147	2,978	131	38	2,908	2,422	447	39	2,873	2,665	186	7	15
3,170	3,062	79	29	2,913	2,369	494	50	2,878	2,612	240	9	17
2,654	2,579	53	22	2,489	1,980	461	48	2,487	2,118	337	19	13
3,716	3,582	82	52	3,761	2,696	889	176	3,784	2,993	703	63	25
27,809	26,338	1,115	356	24,315	20,300	3,608	407	23,105	20,869	2,029	104	103
	(94.7)	(4.0)	(1.3)		(83.5)	(14.8)	(1.7)		(90.3)	(8.8)	(0.5)	(0.4)
70,738	65,971	3,560	1,207	58,451	48,349	8,826	1,276	56,681	51,309	4,662	370	340
	(93.3)	(5.0)	(1.7)		(82.7)	(15.1)	(2.2)		(90.5)	(8.2)	(0.7)	(0.6)